



Elddis

# Touring Caravan Range 2019

STYLISH | PRACTICAL | MODERN





MODEL	462	550	554	574	586	<b>NEW</b> 840	860	866	
ON-THE-ROAD PRICE*	£18,744	£20,344	£20,344	£20,344	£20,594	£23,894	£23,894	£23,894	
NUMBER OF BERTHS	SINGLE AXLE 2 BERTH	SINGLE AXLE 4 BERTH	SINGLE AXLE 4 BERTH	SINGLE AXLE 4 BERTH	SINGLE AXLE 6 BERTH	TWIN AXLE 6 BERTH	TWIN AXLE 4 BERTH	TWIN AXLE 6 BERTH	
WHEEL RIM	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	
TYRE SIZE	185 R14 104	185 R14 104	185 R14 104	185 R14 104	185 R14 104	175/65 R14 90	175/65 R14 90	175/65 R14 90	
TYRE PRESSURE AT MTPLM IN PSI	Downrate 48 Standard 50 Uprate 55	Downrate 56 Standard 58 Uprate 63	Downrate 56 Standard 58 Uprate 63	Downrate 55 Standard 59 Uprate 63	Downrate 58 Standard 61 Uprate 63	Downrate 39 Standard 40 Uprate 42	Downrate 37 Standard 38 Uprate 42	Downrate 39 Standard 41 Uprate 42	
INTERIOR LENGTH	4640mm / 15'3"	5780mm / 19'0"	5750mm / 18'10"	6100mm / 20'0"	5690mm / 18'8"	6390mm / 21'0"	6390mm / 21'0"	6390mm / 21'00"	
EXTERIOR BODY LENGTH	5200mm / 17'1"	6300mm / 20'8"	6270mm / 20'7"	6100mm / 20'0"	6250mm / 20'6"	6950mm / 22'10"	6950mm / 22'10"	6950mm / 22'10"	
SHIPPING LENGTH	6300mm / 20'8"	7400mm / 24'3"	7370mm / 24'2"	7200mm / 23'7"	7350mm / 24'1"	8050mm / 26'5"	8050mm / 26'5"	8050mm / 26'5"	
OVERALL WIDTH	2260mm / 7'5"	2260mm / 7'5"	2260mm / 7'5"	2260mm / 7'5"	2260mm / 7'5"	2450mm / 8'00"	2450mm / 8'00"	2450mm / 8'00"	
OVERALL HEIGHT	2645mm / 8'8"	2645mm / 8'8"	2645mm / 8'8"	2645mm / 8'8"	2645mm / 8'8"	2635mm / 8'8"	2635mm / 8'8"	2635mm / 8'8"	
OVERALL HEIGHT EXCLUDING TV AERIAL	2560mm / 8'5"	2560mm / 8'5"	2560mm / 8'5"	2560mm / 8'5"	2560mm / 8'5"	2550mm / 8'4"	2550mm / 8'4"	2550mm / 8'4"	
MAXIMUM HEADROOM	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	
INTERIOR WIDTH	2120mm / 6'11"	2120mm / 6'11"	2120mm / 6'11"	2120mm / 6'11"	2120mm / 6'11"	2300mm / 7'7"	2300mm / 7'7"	2300mm / 7'7"	
PORCH AWNING HEIGHT	2430mm / 8'0"	2430mm / 8'0"	2430mm / 8'0"	2430mm / 8'0"	2430mm / 8'0"	2420mm / 7'11"	2420mm / 7'11"	2430mm / 8'0"	
AWNING SIZES GROUND TO GROUND	9200mm / 30'2"	10300mm / 33'10"	10250mm / 33'8"	10100mm / 33'2"	10200mm / 33'6"	10900mm / 35'9"	10900mm / 35'9"	10900mm / 35'9"	
MAXIMUM HITCH WEIGHT	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	
MASS IN RUNNING ORDER	1120kgs / 22.05cwt	1259kgs / 24.78cwt	1260kgs / 24.80cwt	1250kgs / 24.61cwt	1287kgs / 25.33cwt	1545kgs / 30.41cwt	1491kgs / 29.35cwt	1555kgs / 30.61cwt	
OPTIONAL EQUIPMENT PAYLOAD	0	0	0	0	0	0	0	0	
MAXIMUM USER PAYLOAD	122kgs / 2.40cwt	153kgs / 3.01cwt	153kgs / 3.01cwt	151kgs / 2.97cwt	173kgs / 3.41cwt	179kgs / 3.52cwt	159kgs / 3.13cwt	179kgs / 3.52cwt	
PLATED M.T.P.L.M	1242kgs / 24.45cwt	1412kgs / 27.79cwt	1413kgs / 27.81cwt	1401kgs / 27.58cwt	1460kgs / 28.74cwt	1724kgs / 33.94cwt	1650kgs / 32.48cwt	1734kgs / 34.13cwt	
MAXIMUM M.T.P.L.M	1350kgs / 26.57cwt	1500kgs / 29.53cwt	1500kgs / 29.53cwt	1500kgs / 29.53cwt	1500kgs / 29.53cwt	1800kgs / 35.43cwt	1800kgs / 35.43cwt	1800kgs / 35.43cwt	
FRONT MATTRESS SIZES	1 x Double 1154 x 2080mm 5'1" x 6'10"	1 x Double 1115 x 2080mm 3'8" x 6'10"	1 x Double 1154 x 2080mm 3'8" x 6'10"	1 x Double 1115 x 2080mm 3'8" x 6'10"	1 x Double 1300 x 2080mm 4'3" x 6'10"	2 x Single 720 x 1830mm 2'4" x 6'0" <b>OR</b> 1 x Double 1430 x 2120mm 4'8" x 6'11"	2 x Single 720 x 1830mm 2'4" x 6'0" <b>OR</b> 1 x Double 1430 x 2120mm 4'8" x 6'11"	2 x Single 720 x 1830mm 2'4" x 6'0" <b>OR</b> 1 x Double 1430 x 2120mm 4'8" x 6'11"	1 x Double 1130 x 1992mm 5'1" x 6'6"
SIDE DINETTE MATTRESS SIZES	N/A	N/A	N/A	N/A	Lower bunk 745 x 1800mm 2'5" x 5'11" Drop Down Bed 550 x 1640mm 1'10" x 5'5"	1 x Double 1280 x 1900mm 4'2" x 6'3"	N/A	1 x Double 1280 x 1900mm 4'2" x 6'3"	N/A
REAR MATTRESS SIZES	N/A	Fixed Double 1346 x 1900mm 4'5" x 6'3"	Fixed Double 1346 x 1900mm 4'5" x 6'3"	2 x Fixed Single 710 x 1855mm 2'4" x 6'1"	2 x Single Fixed Bunks 590 x 1820mm 1'11" x 6'0"	1 x Double 1300 x 1885mm 4'3" x 6'2"	1 x Double 1346mm x 1900mm 4'5" x 6'3"	2 x Single Bunks 590 x 1925mm 1'11" x 6'4"	N/A

\*OTR price includes delivery charge of RRP £595.

MODEL	462	550	554	574	Aurora	Mistral	Storm	Supercyclone	Zephyr
ON-THE-ROAD PRICE*	£21,494	£23,094	£23,094	£23,094	£25,594	£25,594	£28,794	£28,794	£28,794
NUMBER OF BERTHS	SINGLE AXLE 2 BERTH	SINGLE AXLE 4 BERTH	SINGLE AXLE 4 BERTH	SINGLE AXLE 4 BERTH	SINGLE AXLE 4 BERTH	SINGLE AXLE 4 BERTH	TWIN AXLE 4 BERTH	TWIN AXLE 4 BERTH	TWIN AXLE 4 BERTH
WHEEL RIM	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112
TYRE SIZE	185 R14 104	185 R14 104	185 R14 104	185 R14 104	185 R14 104	185 R14 104	175/65 R14 90	175/65 R14 90	175/65 R14 90
TYRE PRESSURE AT MTPLM IN PSI	Downrate 49 Standard 52 Uprate 55	Downrate 58 Standard 61 Uprate 63	Downrate 59 Standard 61 Uprate 63	Downrate 59 Standard 61 Uprate 63	Downrate 62 Standard 64 Uprate 65	Downrate 63 Standard 65 Uprate 65	Downrate 39 Standard 41 Uprate 42	Downrate 40 Standard 42 Uprate 42	Downrate 41 Standard 42 Uprate 42
INTERIOR LENGTH	4640mm / 15'3"	5780mm / 19'0"	5750mm / 18'10"	5780mm / 18'10"	5700mm / 18'8"	5700mm / 18'8"	6340mm / 20'10"	6340mm / 20'10"	6340mm / 20'10"
EXTERIOR BODY LENGTH	5200mm / 17'1"	6300mm / 20'8"	6270mm / 20'7"	6270mm / 20'7"	6260mm / 20'6"	6260mm / 20'6"	6900mm / 22'8"	6900mm / 22'8"	6900mm / 22'8"
SHIPPING LENGTH	6300mm / 20'8"	7400mm / 24'3"	7370mm / 24'2"	7370mm / 24'2"	7320mm / 24'0"	7320mm / 24'0"	7960mm / 26'1"	7960mm / 26'1"	7960mm / 26'1"
OVERALL WIDTH	2260mm / 7'5"	2260mm / 7'5"	2260mm / 7'5"	2260mm / 7'5"	2300mm / 7'7"	2300mm / 7'7"	2300mm / 7'7"	2300mm / 7'7"	2300mm / 7'7"
OVERALL HEIGHT	2650mm / 8'8"	2650mm / 8'8"	2650mm / 8'8"	2650mm / 8'8"	2645mm / 8'8"	2645mm / 8'8"	2635mm / 8'8"	2635mm / 8'8"	2635mm / 8'8"
OVERALL HEIGHT EXCLUDING TV AERIAL	2560mm / 8'5"	2560mm / 8'5"	2560mm / 8'5"	2560mm / 8'5"	2560mm / 8'5"	2560mm / 8'5"	2550mm / 8'4"	2550mm / 8'4"	2550mm / 8'4"
MAXIMUM HEADROOM	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"
INTERIOR WIDTH	2120mm / 6'11"	2120mm / 6'11"	2120mm / 6'11"	2120mm / 6'11"	2170mm / 7'1"	2170mm / 7'1"	2170mm / 7'1"	2170mm / 7'1"	2170mm / 7'1"
PORCH AWNING HEIGHT	2430mm / 8'0"	2430mm / 8'0"	2430mm / 8'0"	2430mm / 8'0"	2430mm / 8'0"	2430mm / 8'0"	2420mm / 7'11"	2420mm / 7'11"	2420mm / 7'11"
AWNING SIZES GROUND TO GROUND	9200mm / 30'2"	10300mm / 33'10"	10250mm / 33'8"	10250mm / 33'8"	10150mm / 33'4"	10150mm / 33'4"	10800mm / 35'5"	10800mm / 35'5"	10800mm / 35'5"
MAXIMUM HITCH WEIGHT	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	120kgs / 1.97cwt	120kgs / 1.97cwt	120kgs / 1.97cwt	120kgs / 1.97cwt	120kgs / 1.97cwt
MASS IN RUNNING ORDER	1159kgs / 22.81cwt	1310kgs / 25.79cwt	1317kgs / 25.92cwt	1317kgs / 25.92cwt	1373kgs / 27.03cwt	1373kgs / 27.03cwt	1585kgs / 31.20cwt	1617kgs / 31.83cwt	1641kgs / 32.30cwt
OPTIONAL EQUIPMENT PAYLOAD	0	0	0	0	0	0	0	0	0
MAXIMUM USER PAYLOAD	122kgs / 2.40cwt	153kgs / 3.01cwt	153kgs / 3.01cwt	151kgs / 2.97cwt	153kgs / 3.01cwt	153kgs / 3.01cwt	159kgs / 3.13cwt	159kgs / 3.13cwt	159kgs / 3.13cwt
PLATED M.T.P.L.M	1281kgs / 25.22cwt	1463kgs / 28.80cwt	1470kgs / 28.94cwt	1467kgs / 28.88cwt	1526kgs / 30.04cwt	1550kgs / 30.51cwt	1744kgs / 34.33cwt	1776kgs / 34.96cwt	1800kgs / 35.43cwt
MAXIMUM M.T.P.L.M	1350kgs / 26.57cwt	1500kgs / 29.53cwt	1500kgs / 29.53cwt	1500kgs / 29.53cwt	1550kgs / 30.51cwt	1550kgs / 30.51cwt	1800kgs / 35.43cwt	1800kgs / 35.43cwt	1800kgs / 35.43cwt
FRONT MATTRESS SIZES	1 x Double 1157 x 1992mm 5'1" x 6'6"	1 x Double 1127 x 1992mm 3'8" x 6'6"	1 x Double 1127 x 1992mm 3'8" x 6'6"	1 x Double 1130 x 1992mm 3'8" x 6'6"	1 x Double 1130 x 2030mm 3'8" x 6'8"	1 x Double 1130 x 2030mm 3'8" x 6'8"	1 x Double 1370 x 2030mm 4'6" x 6'8"	1 x Double 1390 x 2030mm 4'7" x 6'8"	2 x Single 695 x 1800mm 2'3" x 5'11" <b>OR</b> 1 x Double 1430 x 2030mm 4'8" x 6'8"
SIDE DINETTE MATTRESS SIZES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
REAR MATTRESS SIZES	N/A	Fixed Double 1346 x 1900mm 4'5" x 6'3"	Fixed Double 1346 x 1900mm 4'5" x 6'3"	2 x Single 770 x 1855mm 2'4" x 6'1"	Fixed Double 1346 x 1900mm 4'5" x 6'3"	Fixed Double 1346 x 1900mm 4'5" x 6'3"	Fixed Double 1346 x 1900mm 4'5" x 6'3"	2 x Single Beds 690 x 1890mm 2'3" x 6'2"	Fixed Double 1346 x 1900mm 4'5" x 6'3"

## OPTIONS AND ACCESSORIES

Make your Eddis caravan even more special with our fabulous new range of options and accessories.



Weight plate upgrade*	<b>FOC</b>
Alternative soft furnishings	<b>£275</b>
Wraparound front seating†	<b>£259</b>
Co-ordinated fixed bed cover set	<b>£260</b>
Fiamma Universal bike rack - 2 bikes	<b>£379</b>
AL-KO Secure wheel lock (single axle models)	<b>£250</b>
AL-KO Secure wheel lock (twin axle model)	<b>£605</b>
Tracker® Europe-wide anti theft system, with 12 months subscription	<b>£280</b>
Omnivent (in lieu of 400mm rooflight)	<b>£225</b>
External gas barbecue point	<b>£105</b>
Alarm system with PIR and leg sensor	<b>£310</b>
Shelf pack (3x shelves and fittings)#	<b>£42</b>
100W Truma solar panel#	<b>£535</b>
230v Socket (this option can only be added if exterior access locker door is also selected)	<b>£66</b>
External access locker door	<b>£77</b>



Weight plate upgrade*	<b>FOC</b>
Alternative soft furnishings	<b>£275</b>
Wraparound front seating†	<b>£259</b>
Co-ordinated fixed bed cover set	<b>£260</b>
Fiamma Universal bike rack - 2 bikes	<b>£379</b>
Omnivent (in lieu of 400mm rooflight)	<b>£225</b>
AL-KO Secure wheel lock	<b>£250</b>
Tracker® Europe-wide anti theft system, with 12 months subscription	<b>£280</b>
Shelf pack (3x shelves and fittings)#	<b>£42</b>
100W Truma solar panel#	<b>£535</b>



Weight plate upgrade*	<b>FOC</b>
Alternative standard soft furnishings	<b>£275</b>
Alternative Leather upholstery	<b>£1,350</b>
Wraparound front seating†	<b>£259</b>
Wraparound front seating Leather option	<b>£365</b>
Co-ordinated fixed bed cover set	<b>£260</b>
Fiamma Universal bike rack - 2 bikes	<b>£379</b>
Teleco self seeking satellite dish#	<b>£1,995</b>
Truma air conditioning (in lieu of Omnivent)#	<b>£1,595</b>
100W Truma solar panel#	<b>£550</b>
Shelf pack (3x shelves and fittings)#	<b>£42</b>

Please ask your supplying Retailer for full details.

\*At point of order

†Customer retains chest of drawers

#Dealer fit items

Note 1: The Mass in Running Order includes a manufacturing tolerance for material variances and 10kgs per gas bottle, the number of bottles is equal to the number of connections provided at the regulator.

Note 2: Maximum User Payload includes the Personal Effects Payload and the Optional Equipment Payload.

Note 3: If you require a larger payload it is possible to upgrade the Plated Maximum Technical Permissible Laden Mass. Please contact your supplying retailer for more information. (Exclusions may apply)

Note 4: Please take care to ensure that you have allowed for the masses of all items you intend to carry in the caravan.

Note 5: Warning under no circumstances must the plated MTPLM of the caravan be exceeded.

Note 6: The porch awning height is measured directly above the main entrance door.

Note 7: All data is calculated using metric weights and measurements. The Imperial figures quoted are conversions thereof.

Note 8: All dimensions have a tolerance of +/-25mm.

Note 9: The overall height measurement is taken with the aerial in the lowest position.

Note 10: All front bed sizes are quoted with the front chest of drawers in place. (Where Applicable)

[www.elddis.co.uk](http://www.elddis.co.uk)

