



2020 TOURING CARAVAN RANGE



10 / TEN YEAR WATER INGRESS & BODY INTEGRITY WARRANTY



www.elddis.co.uk

PRICE LIST

casita



NEW 454



550



554



586



840



860



NEW 868

capiro



NEW 520



550



554



574

camino



550



554



660



674

ON-THE-ROAD PRICE* AXLE BERTH	£20,194 SINGLE AXLE 2 BERTH	£20,944 SINGLE AXLE 4 BERTH	£20,944 SINGLE AXLE 4 BERTH	£21,194 SINGLE AXLE 6 BERTH	£24,594 TWIN AXLE 6 BERTH	£24,594 TWIN AXLE 4 BERTH	£24,594 TWIN AXLE 6 BERTH	£22,794 SINGLE AXLE 2 BERTH	£23,794 SINGLE AXLE 4 BERTH	£23,794 SINGLE AXLE 4 BERTH	£23,794 SINGLE AXLE 4 BERTH	£26,344 SINGLE AXLE 4 BERTH	£26,344 SINGLE AXLE 4 BERTH	£29,644 TWIN AXLE 4 BERTH	£29,644 TWIN AXLE 4 BERTH
-------------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	---------------------------------	---------------------------------	---------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	---------------------------------	---------------------------------

WHEEL RIM	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112	5½Jx14 5x112
TYRE SIZE	185 R14 104	185 R14 104	185 R14 104	185 R14 104	175/65 R14 90	175/65 R14 90	175/65 R14 90	185 R14 104	185 R14 104	185 R14 104	185 R14 104	185 R14 104	185 R14 104	175/65 R14 90	175/65 R14 90	
TYRE PRESSURE AT MTPLM IN PSI	Downrate 51 / Standard 53 / Uprate 63	Downrate 56 / Standard 58 / Uprate 63	Downrate 56 / Standard 58 / Uprate 63	Downrate 58 / Standard 58 / Uprate 63	Downrate 39 / Standard 58 / Uprate 42	Downrate 37 / Standard 38 / Uprate 42	Downrate 38 / Standard 40 / Uprate 42	Downrate 52 / Standard 55 / Uprate 63	Downrate 58 / Standard 61 / Uprate 63	Downrate 59 / Standard 61 / Uprate 63	Downrate 59 / Standard 61 / Uprate 63	Downrate 62 / Standard 64 / Uprate 65	Downrate 63 / Standard 65 / Uprate 65	Downrate 41 / Standard 42 / Uprate 42	Downrate 40 / Standard 42 / Uprate 42	
INTERIOR LENGTH	5175mm / 17'0"	5780mm / 19'0"	5750mm / 18'10"	5690mm / 18'8"	6390mm / 21'0"	6390mm / 21'0"	6390mm / 21'0"	4975mm / 16'4"	5780mm / 19'0"	5750mm / 18'10"	5600mm / 18'4"	5700mm / 18'8"	5700mm / 18'8"	6340mm / 20'10"	6340mm / 20'10"	
EXTERIOR BODY LENGTH	5795mm / 19'0"	6300mm / 20'8"	6270mm / 20'7"	6250mm / 20'7"	6950mm / 22'10"	6950mm / 22'10"	6950mm / 22'10"	5600mm / 18'4"	6300mm / 20'8"	6270mm / 20'7"	6100mm / 20'0"	6260mm / 20'6"	6260mm / 20'6"	6900mm / 22'8"	6900mm / 22'8"	
SHIPPING LENGTH	6895mm / 22'7"	7400mm / 24'3"	7370mm / 24'2"	7350mm / 24'1"	8050mm / 26'5"	8050mm / 26'5"	8050mm / 26'5"	6680mm / 21'11"	7400mm / 24'3"	7370mm / 24'2"	7200mm / 23'7"	7320mm / 24'0"	7320mm / 24'0"	7960mm / 26'1"	7960mm / 26'1"	
OVERALL WIDTH	2260mm / 7'5"	2260mm / 7'5"	2260mm / 7'5"	2260mm / 7'5"	2450mm / 8'00"	2450mm / 8'00"	2450mm / 8'00"	2260mm / 7'5"	2260mm / 7'5"	2260mm / 7'5"	2260mm / 7'5"	2300mm / 7'7"	2300mm / 7'7"	2300mm / 7'7"	2300mm / 7'7"	
OVERALL HEIGHT	2645mm / 8'8"	2645mm / 8'8"	2645mm / 8'8"	2645mm / 8'8"	2635mm / 8'8"	2635mm / 8'8"	2635mm / 8'8"	2650mm / 8'8"	2650mm / 8'8"	2650mm / 8'8"	2650mm / 8'8"	2645mm / 8'8"	2645mm / 8'8"	2635mm / 8'8"	2635mm / 8'8"	
OVERALL HEIGHT EXCLUDING TV AERIAL	2560mm / 8'5"	2560mm / 8'5"	2560mm / 8'5"	2560mm / 8'5"	2550mm / 8'4"	2550mm / 8'4"	2550mm / 8'4"	2560mm / 8'5"	2560mm / 8'5"	2560mm / 8'5"	2560mm / 8'5"	2560mm / 8'5"	2560mm / 8'5"	2550mm / 8'4"	2550mm / 8'4"	
MAXIMUM HEADROOM	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	1950mm / 6'5"	
INTERIOR WIDTH	2120mm / 6'11"	2120mm / 6'11"	2120mm / 6'11"	2120mm / 6'11"	2300mm / 7'7"	2300mm / 7'7"	2300mm / 7'7"	2120mm / 6'11"	2120mm / 6'11"	2120mm / 6'11"	2170mm / 7'1"	2170mm / 7'1"	2170mm / 7'1"	2170mm / 7'1"	2170mm / 7'1"	
PORCH AWNING HEIGHT	2430mm / 8'0"	2430mm / 8'0"	2430mm / 8'0"	2430mm / 8'0"	2420mm / 7'11"	2420mm / 7'11"	2420mm / 7'11"	2430mm / 8'0"	2430mm / 8'0"	2430mm / 8'0"	2430mm / 8'0"	2430mm / 8'0"	2430mm / 8'0"	2420mm / 7'11"	2420mm / 7'11"	
AWNING SIZES GROUND TO GROUND	9750mm / 32'0"	10300mm / 33'10"	10250mm / 33'8"	10200mm / 33'6"	10900mm / 35'9"	10900mm / 35'9"	10900mm / 35'9"	9600mm / 31'6"	10300mm / 33'10"	10250mm / 33'8"	10100mm / 33'2"	10150mm / 33'4"	10150mm / 33'4"	10800mm / 35'5"	10800mm / 35'5"	
MAXIMUM HITCH WEIGHT	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	100kgs / 1.97cwt	120kgs / 1.97cwt	120kgs / 1.97cwt	120kgs / 1.97cwt	120kgs / 1.97cwt	
MASS IN RUNNING ORDER	1182kgs / 23.27cwt	1259kgs / 24.78cwt	1260kgs / 24.80cwt	1287kgs / 25.33cwt	1545kgs / 30.41cwt	1491kgs / 29.35cwt	1532kgs / 30.16cwt	1219kgs / 23.99cwt	1310kgs / 25.79cwt	1317kgs / 25.92cwt	1316kgs / 25.90cwt	1373kgs / 27.03cwt	1397kgs / 27.50cwt	1641kgs / 32.30cwt	1617kgs / 31.83cwt	
OPTIONAL EQUIPMENT PAYLOAD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MAXIMUM USER PAYLOAD	128kgs / 2.52cwt	153kgs / 3.01cwt	153kgs / 3.01cwt	173kgs / 3.41cwt	179kgs / 3.52cwt	159kgs / 3.13cwt	179kgs / 3.52cwt	126kgs / 2.40cwt	153kgs / 3.01cwt	153kgs / 3.01cwt	151kgs / 2.97cwt	153kgs / 3.01cwt	153kgs / 3.01cwt	159kgs / 3.13cwt	159kgs / 3.13cwt	
PLATED M.T.P.L.M	1310kgs / 25.79cwt	1412kgs / 27.79cwt	1413kgs / 27.81cwt	1460kgs / 28.74cwt	1724kgs / 33.94cwt	1650kgs / 32.48cwt	1711kgs / 33.68cwt	1345kgs / 26.48cwt	1463kgs / 28.80cwt	1470kgs / 28.94 cwt	1467kgs / 28.88cwt	1526kgs / 30.04cwt	1550kgs / 30.51cwt	1800kgs / 35.43cwt	1776kgs / 34.96cwt	
MAXIMUM M.T.P.L.M	1500kgs / 29.53cwt	1500kgs / 29.53cwt	1500kgs / 29.53cwt	1500kgs / 29.53cwt	1800kgs / 35.43cwt	1800kgs / 35.43cwt	1800kgs / 35.43cwt	1500kgs / 29.53cwt	1500kgs / 29.53cwt	1500kgs / 29.53cwt	1500kgs / 29.53cwt	1550kgs / 30.51cwt	1550kgs / 30.51cwt	1800kgs / 35.43cwt	1800kgs / 35.43cwt	
FRONT MATTRESS SIZES	Not Applicable	1 x Double 1115mm x 2080mm 3'8" x 6'10"	1 x Double 1115mm x 2080mm 3'8" x 6'10"	1 x Double 1300mm x 2080mm 4'3" x 6'10"	2 x Single 720mm x 1830mm 2'4" x 6'0" OR 1 x Double 1430mm x 2120mm 4'8" x 6'11"	2 x Single 720mm x 1830mm 2'4" x 6'0" OR 1 x Double 1430mm x 2120mm 4'8" x 6'11"	2 x Single 720mm x 1830mm 2'4" x 6'0" OR 1 x Double 1430mm x 2120mm 4'8" x 6'11"	2 x Single 1927mm x 676mm 6'4" x 2'3" OR 1 x Double 1557mm x 1992mm 5'1" x 6'6"	1 x Double 1127mm x 1992mm 3'8" x 6'6"	1 x Double 1127mm x 1992mm 3'8" x 6'6"	1 x Double 1127mm x 1992mm 3'8" x 6'6"	1 x Double 1130mm x 2030mm 3'8" x 6'8"	1 x Double 1130mm x 2030mm 3'8" x 6'8"	2 x Single 695mm x 1800mm 2'3" x 5'11" OR 1 x Double 1430mm x 2030mm 4'8" x 6'8"	1 x Double 1390mm x 2030mm 4'7" x 6'8"	
SIDE DINETTE MATTRESS SIZES	Not Applicable	Not Applicable	Not Applicable	Lower bunk 745mm x 1800mm 2'5" x 5'11" Drop Down Bed 550mm x 1640mm 1'10" x 5'5"	1 x Double 1280mm x 1900mm 4'2" x 6'3"	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
REAR MATTRESS SIZES	Fixed Double 1346mm x 1900mm 4'5" x 6'3"	Fixed Double 1346mm x 1900mm 4'5" x 6'3"	Fixed Double 1346mm x 1900mm 4'5" x 6'3"	2 x Single Fixed Bunks 590mm x 1820mm 1'11" x 6'0"	1 x Double 1300mm x 1885mm 4'3" x 6'2"	1 x Double 1346mm x 1900mm 4'5" x 6'3"	1 x Double 1190mm x 1900mm 3'11" x 6'3" and 2 x Single Bunks 595mm x 1910mm 1'11" x 6'3"	Not Applicable	Fixed Double 1346mm x 1900mm 4'5" x 6'3"	Fixed Double 1346mm x 1900mm 4'5" x 6'3"	2 x Single 770mm x 1855mm 2'4" x 6'11"	Fixed Double 1346mm x 1900mm 4'5" x 6'3"	Fixed Double 1346mm x 1900mm 4'5" x 6'3"	Fixed Double 1346mm x 1900mm 4'5" x 6'3"	2 x Single Beds 690mm x 1890mm 2'3" x 6'2"	

*OTR price includes deliver charge of RRP E595.

OPTIONS & ACCESSORIES

Make your Compass caravan even more special with our fabulous new range of options and accessories.

Please ask your supplying retailer for full details. The RRP for any retailer fit option is for the part only and may be subject to additional labour charges. Please discuss with your supplying retailer at point of order.

[Find out more at elddis.co.uk](http://elddis.co.uk)



10 / TEN YEAR WATER INGRESS & BODY INTEGRITY WARRANTY

Note 1: The Mass in Running Order includes a manufacturing tolerance for material variances & 10kgs per gas bottle, the number of bottles is equal to the number of connections provided at the regulator.

Note 2: Maximum User Payload includes the Personal Effects Payload & the Optional Equipment Payload.

Note 3: If you require a larger payload it is possible to upgrade the Plated Maximum Technical Permissible Laden Mass. Please contact your supplying retailer for more information. (Exclusions may apply)

Note 4: Please take care to ensure that you have allowed for the masses of all items you intend to carry in the caravan.

Note 5: Warning under no circumstances must the plated MTPLM of the caravan be exceeded.

Note 6: The porch awning height is measured directly above the main entrance door

Note 7: All data is calculated using metric weights and measurements. The imperial figures quoted are conversions thereof.

Note 8: All dimensions have a tolerance of +/-25mm

Note 9: The overall height measurement is taken with the aerial in the lowest position.

Note 10: All front bed sizes are quoted with the front chest of drawers in place. (Where Applicable)

* At point of order † Customer retains chest of drawers ‡ Dealer fit items



Weight plate upgrade *	FOC
600mm exterior access locker door	£77
230V socket (this option can only be added if exterior access locker door is also selected)	£66
Exterior access locker door (868 only)	£77
Co-ordinated fixed bed cover set (454, 550, 554, 840, 860 and 868)	£260
Hypnos mattress (454, 550, 554, 840, 860 and 868)	£200
AL-KO secure wheel lock (single axle models)	£259
AL-KO secure wheel lock (twin axle models)	£615
Omnivent in lieu of 400mm rooflight	£225
External gas barbecue point	£105
Tracker Europe-wide anti theft tracker system (with 12 months subscription)	£280
Alarm system with PIR and leg sensor	£310
Fiamma pro bike rack (2 bikes) max weight 60kg #	£379
Shelf pack (3x shelves and fittings) #	£42
100W Truma Solar Panel #	£535
Upholstery wraparound front seating (excl. 454) †	£259
Alternative ActivCare fabric upholstery	£275



Weight plate upgrade *	FOC
Co-ordinated fixed bed cover set (550, 554, 574)	£260
Hypnos mattress (550, 554, 574)	£200
Omnivent in lieu of 400mm rooflight (excl. 574)	£225
AL-KO secure wheel lock	£259
Tracker Europe-wide anti theft tracker system, with 12 months subscription	£280
Fiamma pro bike rack (2 bikes) max weight 60kg #	£379
Shelf pack (3x shelves and fittings) #	£42
100W Truma Solar Panel #	£535
Upholstery wraparound front seating †	£259
Alternative ActivCare fabric upholstery	£275



Weight plate upgrade *	FOC
Fiamma pro bike rack (2 bikes) max weight 60kg #	£379
Teleco self seeking satellite dish - twin LNB#	£1,995
Truma air conditioning#	£1,595
100W Truma Solar Panel#	£535
Shelf pack (3x shelves and fittings) #	£42
Alternative ActivCare fabric & Pet Friendly upholstery	£275
Upholstery wraparound front seating	£259
Alternative leather upholstery	£1,350
Wraparound front seat leather option †	£365
Co-ordinated fixed bed cover set	£260
Hypnos mattress	£200